



| Cat No. | Description | Structure | CAS No. |
|----------|--|--|-------------|
| PI-10035 | 3-(Hydroxymethyl)phenylboronic acid 98% fw 151.96 | C ₇ H ₉ BO ₃ | 87199-15-3 |
| PI-10261 | [4-(trans-4-n-Propylcyclohexyl)phenyl]boronic acid 95% fw 246.15 | C ₁₅ H ₂₃ BO ₂ | 146862-02-4 |
| PI-10299 | 1-Naphthaleneboronic acid 98% fw 171.99 | C ₁₀ H ₉ BO ₂ | 13922-41-3 |
| PI-10305 | 2-Methylphenylboronic acid 98% fw 135.96 | C ₇ H ₉ BO ₂ | 16419-60-6 |
| PI-10307 | 3-Carboxyphenylboronic acid 98% fw 165.94 | C ₇ H ₇ BO ₄ | 25487-66-5 |
| PI-10310 | 4-Carboxyphenylboronic acid 98% fw 165.94 | C ₇ H ₇ BO ₄ | 14047-29-1 |
| PI-10311 | 4-Chlorophenylboronic acid 98% fw 156.37 | C ₆ H ₆ BClO ₂ | 1679-18-1 |
| PI-10412 | 2-Chloro-4-fluorophenylboronic acid 98% fw 174.37 | C ₆ H ₅ BClFO ₂ | 313545-72-1 |
| PI-10630 | 2-(Trifluoromethoxy)phenylboronic acid 98% fw 205.93 | C ₇ H ₆ BF ₃ O ₃ | 175676-65-0 |
| PI-11542 | (3-Fluoro-4-benzyloxyphenyl)boronic acid 98% fw 246.04 | C ₁₃ H ₁₂ BFO ₃ | 133057-83-7 |
| PI-11569 | 3-(Meththio)phenylboronic acid 98% fw 168.02 | C ₇ H ₉ BO ₂ S | 168618-42-6 |
| PI-11570 | 2-(Methylthio)phenylboronic acid 98% fw 168.02 | C ₇ H ₉ BO ₂ S | 128312-11-8 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|---|-------------|
| PI-11571 | 2-Carboxyphenylboronic acid 98% fw 165.94 | C ₇ H ₇ BO ₄ | 149105-19-1 |
| PI-11572 | 2-Methoxyphenylboronic acid 98% fw 151.96 | C ₇ H ₉ BO ₃ | 5720-6-9 |
| PI-11573 | 3-Chlorophenylboronic acid 98% fw 156.37 | C ₆ H ₆ BClO ₂ | 63503-60-6 |
| PI-11574 | 3-Methylphenylboronic acid 98% fw 135.96 | C ₇ H ₉ BO ₂ | 17933-03-8 |
| PI-11575 | 3-(Trifluoromethoxy)phenylboronic acid 98% fw 205.93 | C ₇ H ₆ BF ₃ O ₃ | 179113-90-7 |
| PI-11576 | 4-t-Butylphenylboronic acid 98% fw 178.04 | C ₁₀ H ₁₅ BO ₂ | 123324-71-0 |
| PI-11577 | 4-Methoxyphenylboronic acid 98% fw 151.96 | C ₇ H ₉ BO ₃ | 5720-07-0 |
| PI-11578 | 3,4-Dimethoxyphenylboronic acid 98% fw 181.98 | C ₈ H ₁₁ BO ₄ | 122775-35-3 |
| PI-11579 | 2,4-Dichlorophenylboronic acid 98% fw 190.82 | C ₆ H ₅ BCl ₂ O ₂ | 68716-47-2 |
| PI-11580 | 2,5-Dichlorophenylboronic acid 98% fw 190.82 | C ₆ H ₅ BCl ₂ O ₂ | 135145-90-3 |
| PI-11581 | 2,5-Dimethoxyphenylboronic acid 98% fw 181.98 | C ₈ H ₁₁ BO ₄ | 107099-99-0 |
| PI-11582 | 3,4,5-Trimethoxyphenylboronic acid 98% fw 212.01 | C ₉ H ₁₃ BO ₅ | 182163-96-8 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|---|-------------|
| PI-13311 | 3-Pyridineboronic acid 95% fw 122.92 | C ₅ H ₆ BNO ₂ | 1692-25-7 |
| PI-14157 | Benzofuran-2-boronic acid 98% fw 161.95 | C ₈ H ₇ BO ₃ | 98437-24-2 |
| PI-14158 | Benzofuran-5-boronic acid 98% fw 161.95 | C ₈ H ₇ BO ₃ | 331834-13-0 |
| PI-14182 | 2-Benzyloxybenzeneboronic acid 98% fw 228.05 | C ₁₃ H ₁₃ BO ₃ | 190661-29-1 |
| PI-14183 | 4-(Benzyloxycarbonyl)benzeneboronic acid 98% fw 256.06 | C ₁₄ H ₁₃ BO ₄ | 184000-11-1 |
| PI-14185 | 4-Benzyloxy-2-fluorobenzeneboronic acid 97% fw 246.04 | C ₁₃ H ₁₂ BFO ₃ | 166744-78-1 |
| PI-14223 | 2,4-Bis(trifluoromethyl)benzeneboronic acid 98% fw 257.93 | C ₈ H ₅ BF ₆ O ₂ | 153254-09-2 |
| PI-14297 | 3,4-Dichlorophenylboronic acid 98% fw 190.82 | C ₆ H ₅ BCl ₂ O ₂ | 151169-75-4 |
| PI-14426 | 4-Bromo-2-fluorobenzeneboronic acid 98% fw 218.82 | C ₆ H ₅ BBrFO ₂ | 216393-64-5 |
| PI-14427 | 4-Bromo-3-fluorobenzeneboronic acid 95% fw 218.82 | C ₆ H ₅ BBrFO ₂ | 374790-97-3 |
| PI-14464 | 2-(Bromomethyl)benzeneboronic acid 95% fw 214.85 | C ₇ H ₈ BBrO ₂ | 91983-14-1 |
| PI-14465 | 3-(Bromomethyl)benzeneboronic acid 97% fw 214.85 | C ₇ H ₈ BBrO ₂ | 51323-43-4 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|--|--------------------------|
| PI-14575 | 2-(1-Naphthylene)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane 98% fw 254.14 | C ₁₆ H ₁₉ BO ₂ | 68716-52-9 |
| PI-14721 | Bis(pinacolato)diborane 95% fw 253.94 | C ₁₂ H ₂₄ B ₂ O ₄ | 73183-34-3 78183-34-3 |
| PI-14722 | Bis(hexyleneglycolato)diboron 96% fw 281.99 | C ₁₄ H ₂₈ B ₂ O ₄ | 230299-21-5 |
| PI-14723 | 4,4,6-Trimethyl-2-(4,4,6-trimethyl-1,3,2-dioxaborinan-2-yl)-1,3,2-dioxaborinane 95% fw 253.94 | C ₁₂ H ₂₄ B ₂ O ₄ | 230299-21-5 |
| PI-14724 | Bis(neopentylglycolato)diboron 95% fw 225.89 | C ₁₀ H ₂₀ B ₂ O ₄ | 201733-56-4 |
| PI-14725 | Bis(catecholato)diborane 97% fw 239.83 | C ₁₂ H ₁₀ B ₂ O ₄ | 13826-27-2 |
| PI-15637 | 2-Butyl-[1,3,2]dioxaborolane-4,5-dicarboxylic bis-dimethylamide 98% fw 270.13 | C ₁₂ H ₂₃ BN ₂ O ₄ | 161344-85-0 |
| PI-16407 | 2,4,6-Trimethylphenylboronic acid 98% fw 164.01 | C ₉ H ₁₃ BO ₂ | 5980-97-2 |
| PI-16417 | 2-Chlorophenylboronic acid 98% fw 156.37 | C ₆ H ₆ BClO ₂ | 3900-89-8 |
| PI-16427 | 3-Cyanophenylboronic acid 98% fw 146.94 | C ₇ H ₆ BNO ₂ | 150255-96-2 |
| PI-16428 | 3-Formylphenylboronic acid 98% fw 149.94 | C ₇ H ₇ BO ₃ | 87199-16-4 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|---|-------------|
| PI-16433 | 4-Acetylphenylboronic acid 98% fw 163.97 | C ₈ H ₉ BO ₃ | 149104-90-5 |
| PI-16439 | 4-Cyanophenylboronic acid 98% fw 146.94 | C ₇ H ₆ BNO ₂ | 126747-14-6 |
| PI-16440 | 4-Formylphenylboronic acid 98% fw 149.94 | C ₇ H ₇ BO ₃ | 87199-17-5 |
| PI-16444 | 4-Phenoxyphenylboronic acid 98% fw 214.02 | C ₁₂ H ₁₁ BO ₃ | 51067-38-0 |
| PI-16446 | 4-Methylphenylboronic acid 98% fw 135.96 | C ₇ H ₉ BO ₂ | 5720-5-8 |
| PI-16450 | 5-Formyl-2-furylboronic acid 98% fw 139.9 | C ₅ H ₅ BO ₄ | 27329-70-0 |
| PI-16451 | 6-Hydroxy-2-naphthaleneboronic acid 98% fw 187.99 | C ₁₀ H ₉ BO ₃ | 173194-95-1 |
| PI-16470 | n-Butylboronic acid 98% fw 101.94 | C ₄ H ₁₁ BO ₂ | 4426-47-5 |
| PI-16480 | Phenylboronic acid 98% fw 121.93 | C ₆ H ₇ BO ₂ | 98-80-6 |
| PI-16484 | Pyridine-4-boronic acid 98% fw 122.92 | C ₅ H ₆ BNO ₂ | 1692-15-5 |
| PI-16517 | Anthracene-9-boronic acid 98% fw 222.05 | C ₁₄ H ₁₁ BO ₂ | 100622-34-2 |
| PI-16524 | Quinoline-8-boronic acid 98% fw 172.98 | C ₉ H ₈ BNO ₂ | 86-58-8 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|--|-------------|
| PI-16529 | Thiophene-2-boronic acid 98% fw 127.96 | C ₄ H ₅ BO ₂ S | 6165-68-0 |
| PI-16628 | 2-Formylphenylboronic acid 98% fw 149.94 | C ₇ H ₇ BO ₃ | 40138-16-7 |
| PI-16833 | 3,5-Bis(trifluoromethyl)phenylboronic acid 98% fw 257.93 | C ₈ H ₅ BF ₆ O ₂ | 73852-19-4 |
| PI-16834 | 3-Fluorophenylboronic acid 98% fw 139.92 | C ₆ H ₆ BFO ₂ | 768-35-4 |
| PI-16835 | 3-Methoxyphenylboronic acid 98% fw 151.96 | C ₇ H ₉ BO ₃ | 10365-98-7 |
| PI-16836 | 3-Nitrophenylboronic acid 98% fw 166.93 | C ₆ H ₆ BNO ₄ | 13331-27-6 |
| PI-16837 | 3-Aminophenylboronic acid 98% fw 136.94 | C ₆ H ₈ BNO ₂ | 30418-59-8 |
| PI-16838 | 3,5-Difluorophenylboronic acid 98% fw 157.91 | C ₆ H ₅ BF ₂ O ₂ | 156545-07-2 |
| PI-16839 | 3,4-Difluorophenylboronic acid 98% fw 157.91 | C ₆ H ₅ BF ₂ O ₂ | 168267-41-2 |
| PI-16840 | 3,4,5-Trifluorophenylboronic acid 98% fw 175.9 | C ₆ H ₄ BF ₃ O ₂ | 143418-49-9 |
| PI-16841 | 2-Fluoro-4-iodophenylboronic acid 98% fw 265.82 | C ₆ H ₅ BFIO ₂ | 374790-98-4 |
| PI-16842 | 3-Chloro-4-fluorophenylboronic acid 98% fw 174.37 | C ₆ H ₅ BClFO ₂ | 144432-85-9 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|--|-------------|
| PI-16843 | 4-Bromo-2,3-difluorophenylboronic acid 98% fw 236.81 | C ₆ H ₄ BBrF ₂ O ₂ | 374790-99-5 |
| PI-16844 | 4-Fluoro-3-methylphenylboronic acid 98% fw 153.95 | C ₇ H ₈ BFO ₂ | 139911-27-6 |
| PI-16845 | 4-(Trifluoromethoxy)phenylboronic acid 98% fw 205.93 | C ₇ H ₆ BF ₃ O ₃ | 139301-27-2 |
| PI-16846 | 4-(Trifluoromethyl)phenylboronic acid 98% fw 189.93 | C ₇ H ₆ BF ₃ O ₂ | 128796-39-4 |
| PI-16847 | 2-(Trifluoromethyl)phenylboronic acid 98% fw 189.93 | C ₇ H ₆ BF ₃ O ₂ | 1423-27-4 |
| PI-16848 | 2-Chloro-4-(trifluoromethyl)phenylboronic acid 98% fw 224.37 | C ₇ H ₅ BClF ₃ O ₂ | 254993-59-4 |
| PI-17038 | [3-(Thiomorpholine-4-carbonyl)phenyl]boronic acid 98% fw 251.11 | C ₁₁ H ₁₄ BNO ₃ S | 850567-37-2 |
| PI-17511 | 4-(5-Oxopyrazolidin-3-yl)phenylboronic acid 96% fw 206.01 | C ₉ H ₁₁ BN ₂ O ₃ | 874290-64-9 |
| PI-17514 | 4-(Thiomorpholine-4-carbonyl)benzeneboronic acid 97% fw 251.11 | C ₁₁ H ₁₄ BNO ₃ S | 850568-28-4 |
| PI-17894 | Isoquinolin-5-ylboronic acid hydrochloride 97% fw 209.44 | C ₉ H ₈ BNO ₂ HCl | 371766-08-4 |
| PI-17898 | Isoquinoline-5-boronic acid 96% fw 172.98 | C ₉ H ₈ BNO ₂ | 371766-08-4 |
| PI-18081 | 1-Thianthrenylboronic acid 95% fw 260.14 | C ₁₂ H ₉ BO ₂ S ₂ | 108847-76-3 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|---|-------------|
| PI-18122 | 4-(N-Methylaminocarbonyl)phenylboronic acid 98% fw 178.98 | C ₈ H ₁₀ BNO ₃ | 121177-82-0 |
| PI-18178 | 1-Cyclohexen-yl-boronic acid pinacol ester 95% fw 208.1 | C ₁₂ H ₂₁ BO ₂ | 141091-37-4 |
| PI-18207 | 4-Methyl-beta-styrylboronic acid pinacol ester 98% fw 244.14 | C ₁₅ H ₂₁ BO ₂ | 149777-84-4 |
| PI-18220 | trans-1-Hexenylboronic acid pinacol ester 97% fw 210.12 | C ₁₂ H ₂₃ BO ₂ | 154820-94-7 |
| PI-18221 | 5-Phenyl-1-pentenylboronic acid pinacol ester 96% fw 272.19 | C ₁₇ H ₂₅ BO ₂ | 154820-97-0 |
| PI-18248 | trans-1-Heptenylboronic acid pinacol ester 97% fw 224.15 | C ₁₃ H ₂₅ BO ₂ | 169339-75-7 |
| PI-18276 | (E)-1-Hexene-1,2-diboronic acid bis(pinacol)ester 98% fw 336.08 | C ₁₈ H ₃₄ B ₂ O ₄ | 185427-48-9 |
| PI-18283 | N-Methylindole-2-boronic acid 95% fw 174.99 | C ₉ H ₁₀ BNO ₂ | 191162-40-0 |
| PI-18295 | 2,3,5,6-Tetramethylphenylboronic acid 98% fw 178.04 | C ₁₀ H ₁₅ BO ₂ | 197223-36-2 |
| PI-18409 | 2,5-Thiophendiboronic acid 97% fw 171.78 | C ₄ H ₆ B ₂ O ₄ S | 26076-46-0 |
| PI-18414 | cis-Stilbeneboronic acid pinacol ester 99% fw 306.21 | C ₂₀ H ₂₃ BO ₂ | 264144-59-4 |
| PI-18415 | 1-Vinyl-(cis-1,2-bis(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)cyclohexan-1-ol 98% fw 378.12 | C ₂₀ H ₃₆ B ₂ O ₅ | 264144-69-6 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|--|-------------|
| PI-18436 | 1-(Tert-Butoxycarbonyl)-5-methoxy-1H-indol-2-ylboronic acid 95% fw 291.11 | C ₁₄ H ₁₈ BNO ₅ | 290331-71-4 |
| PI-18490 | 1-Boc-5-Fluoro-1H-indole-2-boronic acid 95% fw 279.07 | C ₁₃ H ₁₅ BFNO ₄ | 352359-23-0 |
| PI-18545 | E-1-Octenylboronic acid 95% fw 156.03 | C ₈ H ₁₇ BO ₂ | 42599-16-6 |
| PI-18546 | E-Hexen-1-ylboronic acid 98% fw 127.98 | C ₆ H ₁₃ BO ₂ | 42599-18-8 |
| PI-18562 | 1-Boc-4-Chloro-1H-indole-2-boronic acid 98% fw 295.53 | C ₁₃ H ₁₅ BClNO ₄ | 475102-11-5 |
| PI-18563 | 5-Bromo-N-(butoxycarbonyl)indole-2-boronic acid 95% fw 339.98 | C ₁₃ H ₁₅ BBrNO ₄ | 475102-13-7 |
| PI-18564 | 1-Boc-5-Methyl-1H-indole-2-boronic acid 97% fw 275.11 | C ₁₄ H ₁₈ BNO ₄ | 475102-14-8 |
| PI-18565 | 1-Boc-5-Cyano-1H-indole-2-boronic acid 95% fw 286.09 | C ₁₄ H ₁₅ BN ₂ O ₄ | 475102-15-9 |
| PI-18586 | cis-Stilbeneboronic acid diethanolamine ester 98% fw 293.17 | C ₁₈ H ₂₀ BNO ₂ | 501014-42-2 |
| PI-18685 | Furan-3-boronic acid 97% fw 111.89 | C ₄ H ₅ BO ₃ | 55552-70-0 |
| PI-18748 | 4-Methyl-beta-styrylboronic acid diethanolamine ester 98% fw 231.1 | C ₁₃ H ₁₈ BNO ₂ | 608534-31-2 |
| PI-18768 | 5-Methylfuran-2-boronic acid 97% fw 125.92 | C ₅ H ₇ BO ₃ | 62306-79-0 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|------------------------|-------------|
| PI-18823 | 1,4-Dioxa-spiro[4,5]dec-7-en-8-boronic acid pinacol ester 96% fw 266.14 | $C_{14}H_{23}BO_4$ | 680596-79-6 |
| PI-18826 | 9-Phenanthreneboronic acid 98% fw 222.05 | $C_{14}H_{11}BO_2$ | 68572-87-2 |
| PI-18882 | 3-(Dansylamino)phenylboronic acid 98% fw 370.23 | $C_{18}H_{19}BN_2O_4S$ | 75806-94-9 |
| PI-18922 | 1-Cyclohepten-1-ylboronic acid 97% fw 139.99 | $C_7H_{13}BO_2$ | 835882-35-4 |
| PI-18938 | 1,4-Dioxa-spiro[4,5]dec-7-en-8-boronic acid 96% fw 184 | $C_8H_{13}BO_4$ | 850567-90-7 |
| PI-18939 | 4-T-Butylcyclohexen-1-ylboronic acid 97% fw 182.07 | $C_{10}H_{19}BO_2$ | 850567-91-8 |
| PI-18940 | 4-Methyl-1-cyclohexen-1-ylboronic acid 97% fw 139.99 | $C_7H_{13}BO_2$ | 850567-92-9 |
| PI-18941 | 1-Boc-6-Methylindole-2-boronic acid 95% fw 275.11 | $C_{14}H_{18}BNO_4$ | 850568-51-3 |
| PI-18942 | 5-Benzyloxy-1-boc-indole-2-boronic acid 98% fw 367.2 | $C_{20}H_{22}BNO_5$ | 850568-62-6 |
| PI-18943 | 1-Boc-6-Methoxyindole-2-boronic acid 98% fw 291.11 | $C_{14}H_{18}BNO_5$ | 850568-65-9 |
| PI-18944 | 6-Benzyloxy-1-boc-indole-2-boronic acid 98% fw 367.2 | $C_{20}H_{22}BNO_5$ | 850568-66-0 |
| PI-18949 | 4,4-Dimethylcyclohexen-1-ylboronic acid 97% fw 154.01 | $C_8H_{15}BO_2$ | 865869-28-9 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|--|-------------|
| PI-18952 | 5-Cyano-1H-indole-2-boronic acid 98% fw 185.98 | C ₉ H ₇ BN ₂ O ₂ | 871329-64-5 |
| PI-18953 | 4-Ethylcyclohexen-1-ylboronic acid 98% fw 154.01 | C ₈ H ₁₅ BO ₂ | 871329-72-5 |
| PI-18954 | 2-Norbornen-2-ylboronic acid 95% fw 137.97 | C ₇ H ₁₁ BO ₂ | 871333-98-1 |
| PI-18955 | (1S)-1,7,7-Trimethylbicyclo[2.2.1]hept-2-en-2-ylboronic acid 95% fw 180.05 | C ₁₀ H ₁₇ BO ₂ | 871333-99-2 |
| PI-18964 | 1-Cyclohexen-1-yl-boronic acid 98% fw 125.96 | C ₆ H ₁₁ BO ₂ | 89490-05-1 |
| PI-19033 | 5-Chloro-2-(trifluoromethoxy)benzotrifluoride 98% fw 264.55 | C ₈ H ₃ ClF ₆ O | 104678-86-6 |
| PI-19118 | 4-(Cyanomethyl)benzeneboronic acid pinacol ester 95% fw 243.11 | C ₁₄ H ₁₈ BNO ₂ | 138500-86-4 |
| PI-19135 | 2-Chloro-4-methylphenylboronic acid pinacol ester 98% fw 252.54 | C ₁₃ H ₁₈ BClO ₂ | 145349-62-8 |
| PI-19142 | (5-Chloro-2-methylphenyl)boronic acid 97% fw 170.4 | C ₇ H ₈ BClO ₂ | 148839-33-2 |
| PI-19144 | (4-Methoxy-3-trifluoromethylphenyl)boronic acid 98% fw 219.95 | C ₈ H ₈ BF ₃ O ₃ | 149507-36-8 |
| PI-19169 | (3-Fluoro-5-trifluoromethylphenyl)boronic acid 97% fw 207.92 | C ₇ H ₅ BF ₄ O ₂ | 159020-59-4 |
| PI-19176 | 4-(Methoxymethyl)phenylboronic acid 97% fw 165.98 | C ₈ H ₁₁ BO ₃ | 162662-27-3 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|--|-------------|
| PI-19177 | (3-Fluoro-2-methylphenyl)boronic acid 98% fw 153.95 | C ₇ H ₈ BFO ₂ | 163517-61-1 |
| PI-19183 | 2-Fluoro-5-methylphenylboronic acid 98% fw 153.95 | C ₇ H ₈ BFO ₂ | 166328-16-1 |
| PI-19231 | 4-Methoxy-3-methylbenzeneboronic acid 98% fw 165.98 | C ₈ H ₁₁ BO ₃ | 175883-62-2 |
| PI-19234 | 2-Fluoro-4-biphenylboronic acid 97% fw 216.02 | C ₁₂ H ₁₀ BFO ₂ | 178305-99-2 |
| PI-19240 | (4-Fluoro-3-trifluoromethyl)benzeneboronic acid 98% fw 207.92 | C ₇ H ₅ BF ₄ O ₂ | 182344-23-6 |
| PI-19269 | (2-Chloro-5-methylphenyl)boronic acid 96% fw 170.4 | C ₇ H ₈ BClO ₂ | 193353-35-4 |
| PI-19285 | [3-(N-Boc-Aminomethyl)phenyl]boronic acid 97% fw 251.09 | C ₁₂ H ₁₈ BNO ₄ | 199609-62-6 |
| PI-19305 | 4-Chloro-2-methylbenzeneboronic acid 98% fw 170.4 | C ₇ H ₈ BClO ₂ | 209919-30-2 |
| PI-19312 | 2,4,6-Trimethylbenzeneboronic acid neopentyl glycol ester 99% fw 232.13 | C ₁₄ H ₂₁ BO ₂ | 214360-78-8 |
| PI-19352 | (2-Methoxy-5-trifluoromethylphenyl)boronic acid 98% fw 219.95 | C ₈ H ₈ BF ₃ O ₃ | 240139-82-6 |
| PI-19357 | (3,5-Dinitro-2-methylphenyl)boronic acid 96% fw 225.95 | C ₇ H ₇ BN ₂ O ₆ | 24341-76-2 |
| PI-19386 | (4-Propoxy-3-methylphenyl)boronic acid 97% fw 194.04 | C ₁₀ H ₁₅ BO ₃ | 279262-88-3 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|--|-------------|
| PI-19428 | 2-Methoxy-4-(trifluoromethyl)-phenylboronic acid 97% fw 219.95 | C ₈ H ₈ BF ₃ O ₃ | 312936-89-3 |
| PI-19429 | (3-Chloro-2-methylphenyl)boronic acid 98% fw 170.4 | C ₇ H ₈ BClO ₂ | 313545-20-9 |
| PI-19430 | 4-Isopropoxy-2-trifluoromethylphenylboronic acid 95% fw 248.01 | C ₁₀ H ₁₂ BF ₃ O ₃ | 313545-40-3 |
| PI-19446 | (2-Cyanomethylphenyl)boronic acid, pinacol ester 97% fw 243.11 | C ₁₄ H ₁₈ BNO ₂ | 325141-71-7 |
| PI-19464 | (4-Benzyloxy-3-methylphenyl)boronic acid 96% fw 242.08 | C ₁₄ H ₁₅ BO ₃ | 338454-30-1 |
| PI-19508 | 2-tetr-Butoxymethylphenylboronic acid 97% fw 208.06 | C ₁₁ H ₁₇ BO ₃ | 373384-12-4 |
| PI-19516 | 4-Methylbenzeneboronic acid neopentyl ester 99% fw 204.07 | C ₁₂ H ₁₇ BO ₂ | 380481-66-3 |
| PI-19646 | 4-((N-Boc-Amino)methyl)phenylboronic acid 97% fw 251.09 | C ₁₂ H ₁₈ BNO ₄ | 489446-42-6 |
| PI-19648 | (4-Hydroxy-2-methyl)phenylboronic acid 97% fw 151.96 | C ₇ H ₉ BO ₃ | 493035-82-8 |
| PI-19777 | 4-Formylfuran-2-boronic acid 97% fw 139.9 | C ₅ H ₅ BO ₄ | 62306-78-9 |
| PI-19935 | (4-Benzyloxy-2-methylphenyl)boronic acid 98% fw 242.08 | C ₁₄ H ₁₅ BO ₃ | 847560-49-0 |
| PI-19936 | (3-Bromo-5-methylphenyl)boronic acid 97% fw 214.85 | C ₇ H ₈ BBrO ₂ | 849062-36-8 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|-----------------------|-------------|
| PI-19939 | (4-Ethoxy-3-methyl)benzeneboronic acid 97% fw 180.01 | $C_9H_{13}BO_3$ | 850568-08-0 |
| PI-19940 | (4-Methanesulfonylaminomethylphenyl)boronic acid 98% fw 229.06 | $C_8H_{12}BNO_4S$ | 850568-38-6 |
| PI-19941 | (3-Methanesulfonylaminomethylphenyl)boronic acid 98% fw 229.06 | $C_8H_{12}BNO_4S$ | 850568-39-7 |
| PI-19942 | (4-Acetamidomethylphenyl)boronic acid 97% fw 193.01 | $C_9H_{12}BNO_3$ | 850568-41-1 |
| PI-19943 | (3-Acetamidomethylphenyl)boronic acid 97% fw 193.01 | $C_9H_{12}BNO_3$ | 850568-42-2 |
| PI-19944 | (3-Boc-Amino-4-methylphenyl)boronic acid 98% fw 251.09 | $C_{12}H_{18}BNO_4$ | 850568-81-9 |
| PI-19945 | [2-(2-Bromoethyl)phenyl]boronic acid 95% fw 228.88 | $C_8H_{10}BBrO_2$ | 850568-82-0 |
| PI-19946 | (3-Fluoro-5-methylphenyl)boronic acid 98% fw 153.95 | $C_7H_8BFO_2$ | 850593-06-5 |
| PI-19947 | (2-Ethoxy-5-trifluoromethylphenyl)boronic acid 98% fw 233.98 | $C_9H_{10}BF_3O_3$ | 850593-10-1 |
| PI-19948 | (2-Isopropoxy-5-trifluoromethylphenyl)boronic acid 98% fw 248.01 | $C_{10}H_{12}BF_3O_3$ | 850593-12-3 |
| PI-19956 | (4-Ethoxy-3-trifluoromethylphenyl)boronic acid 98% fw 233.98 | $C_9H_{10}BF_3O_3$ | 871329-83-8 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|--|-------------|
| PI-19957 | 3-Ethoxy-5-(trifluoromethyl)benzeneboronic acid 98% fw 233.98 | C ₉ H ₁₀ BF ₃ O ₃ | 871332-96-6 |
| PI-19958 | 3-Methoxy-5-(trifluoromethyl)benzeneboronic acid 98% fw 219.95 | C ₈ H ₈ BF ₃ O ₃ | 871332-97-7 |
| PI-19959 | 5-(N,N-Dimethylsulfamoyl)-2-methylphenylboronic acid 98% fw 243.09 | C ₉ H ₁₄ BNO ₄ S | 871332-99-9 |
| PI-19960 | 5-(N-tert-Butylsulfamoyl)-2-methylbenzeneboronic acid 95% fw 271.14 | C ₁₁ H ₁₈ BNO ₄ S | 874219-47-3 |
| PI-20170 | 4-Chloro-3-methylphenylboronic acid 98% fw 170.4 | C ₇ H ₈ BClO ₂ | 161950-10-3 |
| PI-20235 | 2-Chloro-5-pyridylboronic acid pinacol ester 97% fw 239.51 | C ₁₁ H ₁₅ BClNO ₂ | 444120-94-9 |
| PI-20262 | 2-Chloro-5-(trifluoromethyl)benzeneboronic acid 96% fw 224.37 | C ₇ H ₅ BClF ₃ O ₂ | 182344-18-9 |
| PI-20263 | 4-Chloro-3-(trifluoromethyl)benzeneboronic acid 98% fw 224.37 | C ₇ H ₅ BClF ₃ O ₂ | 176976-42-4 |
| PI-20300 | 5-Cyano-2-fluorobenzeneboronic acid 98% fw 164.93 | C ₇ H ₅ BFNO ₂ | 468718-30-1 |
| PI-20306 | 4-(Cyanomethyl)benzeneboronic acid 96% fw 160.97 | C ₈ H ₈ BNO ₂ | 91983-26-5 |
| PI-20307 | 3-(Cyanomethyl)benzeneboronic acid pinacol ester 96% fw 243.11 | C ₁₄ H ₁₈ BNO ₂ | 396131-82-1 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|--|-------------|
| PI-20354 | 4-Biphenylboronic acid 98% fw 198.03 | C ₁₂ H ₁₁ BO ₂ | 5122-94-1 |
| PI-20914 | 4-Cyclohexylbenzeneboronic acid 98% fw 204.07 | C ₁₂ H ₁₇ BO ₂ | 374538-04-2 |
| PI-20922 | Cyclopentylboronic acid 96% fw 113.95 | C ₅ H ₁₁ BO ₂ | 63076-51-7 |
| PI-21243 | 3,4-Dihydro-2H-1,5-benzodioxepin-7-yl boronic acid 90% fw 193.99 | C ₉ H ₁₁ BO ₄ | 279261-89-1 |
| PI-21247 | 2,3-Dihydro-1,4-(benzodioxin-6-yl)boronic acid 97% fw 179.97 | C ₈ H ₉ BO ₄ | 164014-95-3 |
| PI-21251 | 2,3-Dihydrobenzofuran-5-boronic acid 95% fw 163.97 | C ₈ H ₉ BO ₃ | 227305-69-3 |
| PI-21269 | 5-(Dihydroxyboryl)thiophene-2-carboxylic acid 97% fw 171.97 | C ₅ H ₅ BO ₄ S | 465515-31-5 |
| PI-21300 | 2,4-Dimethoxypyrimidine-5-boronic acid 96% fw 183.96 | C ₆ H ₉ BN ₂ O ₄ | 89641-18-9 |
| PI-21931 | 3-(N,N-Dimethylaminocarbonyl)benzene boronic acid 96% fw 193.01 | C ₉ H ₁₂ BNO ₃ | 373384-14-6 |
| PI-21932 | 4-(N,N-Dimethylaminocarbonyl)benzene boronic acid 97% fw 193.01 | C ₉ H ₁₂ BNO ₃ | 405520-68-5 |
| PI-21960 | 3,5-Dimethylisoxazole-4-boronic acid 95% fw 140.93 | C ₅ H ₈ BNO ₃ | 16114-47-9 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|--|---------------|
| PI-21990 | 2-(N,N-Dimethylsulphamoyl)benzeneboronic acid 98% fw 229.06 | C ₈ H ₁₂ BNO ₄ S | 178432-25-2 |
| PI-22397 | 1-cis-1,2-Bis(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl) heptene 98% fw 350.11 | C ₁₉ H ₃₆ B ₂ O ₄ | 307531-74-4 |
| PI-22398 | 1-cis-1,2-Bis(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl) hexane 98% fw 338.1 | C ₁₈ H ₃₆ B ₂ O ₄ | Not available |
| PI-22399 | 1-cis-1,2-Bis(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl) pentene 98% fw 322.06 | C ₁₇ H ₃₂ B ₂ O ₄ | 307531-75-5 |
| PI-22400 | cis-1,2-Bis(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)s tilbene 98% fw 356.07 | C ₂₀ H ₃₀ B ₂ O ₄ | 151416-94-3 |
| PI-22401 | Bis(N,N,N',N'-tetramethyl-D-tartramideglycolato)dibor on 97% fw 426.04 | C ₁₆ H ₂₈ B ₂ N ₄ O ₈ | 230299-42-0 |
| PI-22402 | Bis(N,N,N',N'-tetramethyl-L-tartramideglycolato)diboro n 97% fw 426.04 | C ₁₆ H ₂₈ B ₂ N ₄ O ₈ | 480438-22-0 |
| PI-22477 | 4-N-Boc-amino-3-methoxy benzeneboronic acid 98% fw 267.09 | C ₁₂ H ₁₈ BNO ₅ | Not available |
| PI-22705 | 4-(N-Butoxycarbonyl)aminophenylboronic acid 95% fw 237.06 | C ₁₁ H ₁₆ BNO ₄ | 380430-49-9 |
| PI-22970 | tert-Butyl-N-methyl-N-[4-(4,4,5,5-tetramethyl-1,3,2-dio xaborolan-2-yl)phenyl]carbamate 98% fw 333.23 | C ₁₈ H ₂₈ BNO ₄ | 330793-01-6 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|--|-------------|
| PI-23031 | 2-Butyl-4,4,5,5-tetramethyl-1,3,2-dioxaborolane 98% fw 184.08 | C ₁₀ H ₂₁ BO ₂ | 69190-62-1 |
| PI-23032 | tert-Butyl 5-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)indole-1- carboxylate 97% fw 343.23 | C ₁₉ H ₂₆ BNO ₄ | 777061-36-6 |
| PI-23033 | tert-Butyl-N-[2-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan- 2-yl)phenyl]carbamate 98% fw 319.2 | C ₁₇ H ₂₆ BNO ₄ | 159624-15-4 |
| PI-23034 | tert-Butyl-N-[3-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan- 2-yl)phenyl]carbamate 98% fw 319.2 | C ₁₇ H ₂₆ BNO ₄ | 330793-09-4 |
| PI-23035 | tert-Butyl-N-[4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan- 2-yl)phenyl]carbamate 98% fw 319.2 | C ₁₇ H ₂₆ BNO ₄ | 330793-01-6 |
| PI-23036 | tert-Butyl-2-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2- yl)phenyl carbonate 98% fw 320.19 | C ₁₇ H ₂₅ BO ₅ | 480424-71-3 |
| PI-23037 | tert-Butyl-3-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-y l)phenyl carbonate 97% fw 320.19 | C ₁₇ H ₂₅ BO ₅ | 480438-74-2 |
| PI-23038 | tert-Butyl-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-y l)phenylcarbonate 98% fw 320.19 | C ₁₇ H ₂₅ BO ₅ | 480438-75-3 |
| PI-23350 | 2,6-Dimethoxy-3-(4,4,5,5-tetramethyl-1,3,2-dioxaborola n-2-yl)pyridine 98% fw 265.11 | C ₁₃ H ₂₀ BNO ₄ | 214360-59-5 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|--|---------------|
| PI-23379 | N-(2-Dimethylaminoethyl)-3-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)benzamide 98% fw 318.22 | C ₁₇ H ₂₇ BN ₂ O ₃ | 840521-76-8 |
| PI-23380 | N-(2-Dimethylaminoethyl)-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)benzamide 98% fw 318.22 | C ₁₇ H ₂₇ BN ₂ O ₃ | 832114-11-1 |
| PI-23402 | N-(3-Dimethylaminopropyl)-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)benzamide 98% fw 332.25 | C ₁₈ H ₂₉ BN ₂ O ₃ | Not available |
| PI-23443 | 3-Fluorobenzeneboronic acid 98% fw 139.92 | C ₆ H ₆ BFO ₂ | 768-35-4 |
| PI-23444 | 4-Fluorobenzeneboronic acid 98% fw 139.92 | C ₆ H ₆ BFO ₂ | 1765-93-1 |
| PI-23605 | 4-(Methylthiophenyl)boronic acid 98% fw 168.02 | C ₇ H ₉ BO ₂ S | 98546-51-1 |
| PI-23725 | 2-(3-Fluoro-4-methoxyphenyl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane 98% fw 252.09 | C ₁₃ H ₁₈ BFO ₃ | Not available |
| PI-23765 | 4-Fluoro-2-methylphenylboronic acid 98% fw 153.95 | C ₇ H ₈ BFO ₂ | 139911-29-8 |
| PI-24081 | 2-Chloroquinoline-3-boronic acid 97% fw 207.42 | C ₉ H ₇ BCINO ₂ | 128676-84-6 |
| PI-24088 | Methyl boronic acid 97% fw 59.86 | CH ₃ BO ₂ | 13061-96-6 |
| PI-25002 | 4-Vinylphenylboronic acid 98% fw 147.97 | C ₈ H ₉ BO ₂ | 2156-4-9 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|--|-------------|
| PI-25014 | Trans-2-Phenylvinylboronic acid 98% fw 147.97 | C ₈ H ₉ BO ₂ | 6783-5-7 |
| PI-25017 | Dibenzofuran-4-boronic acid 98% fw 212.01 | C ₁₂ H ₉ BO ₃ | 100124-06-9 |
| PI-25018 | Phenoxathiin-4-boronic acid 97% fw 244.07 | C ₁₂ H ₉ BO ₃ S | 100124-07-0 |
| PI-25020 | 2,6-Dimethylphenylboronic acid 98% fw 149.98 | C ₈ H ₁₁ BO ₂ | 100379-00-8 |
| PI-25023 | (2-Methyl-5-nitrophenyl)boronic acid 96% fw 180.95 | C ₇ H ₈ BNO ₄ | 100960-11-0 |
| PI-25024 | 3-Borono-5-nitrobenzoic acid 97% fw 210.94 | C ₇ H ₆ BNO ₆ | 101084-81-5 |
| PI-25026 | 4-Acetylamino-phenylboronic acid 96% fw 178.98 | C ₈ H ₁₀ BNO ₃ | 101251-09-6 |
| PI-25029 | 3-Carbamoyl-5-nitrophenylboronic acid 98% fw 209.95 | C ₇ H ₇ BN ₂ O ₅ | 102170-51-4 |
| PI-25036 | 4-Butoxymethylboronic acid 98% fw 194.04 | C ₁₀ H ₁₅ BO ₃ | 105365-51-3 |
| PI-25045 | Pyrimidine-5-boronic acid 98% fw 123.91 | C ₄ H ₅ BN ₂ O ₂ | 109299-78-7 |
| PI-25050 | 4-Borono-D-phenylalanine 97% fw 209.01 | C ₉ H ₁₂ BNO ₄ | 111821-49-9 |
| PI-25056 | Benzothiophene-3-boronic acid 97% fw 178.02 | C ₈ H ₇ BO ₂ S | 113893-08-6 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|--|-------------|
| PI-25060 | N-(tert-Butoxycarbonyl)-2-amino-1-phenylboronic acid 97% fw 237.06 | C ₁₁ H ₁₆ BNO ₄ | 115377-94-1 |
| PI-25066 | 3-Amino-5-carboxylphenylboronic acid 98% fw 180.95 | C ₇ H ₈ BNO ₄ | 116378-40-6 |
| PI-25069 | 6-Amino-1-hydroxy-2,1-benzoxaborolane hydrochloride 97% fw 185.42 | C ₇ H ₈ BNO ₂ HCl | 117098-93-8 |
| PI-25070 | 3-Methoxycarbonyl-5-nitrophenylboronic acid 98% fw 224.96 | C ₈ H ₈ BNO ₆ | 117342-20-8 |
| PI-25072 | 2,3,4-Trimethoxybenzeneboronic acid 98% fw 212.01 | C ₉ H ₁₃ BO ₅ | 118062-05-8 |
| PI-25077 | (2-Hydroxymethyl-5-nitro)benzeneboronic acid dehydrate 96% fw 178.94 | C ₇ H ₆ BNO ₄ | 118803-40-0 |
| PI-25086 | 4-Carboxy-3-fluorophenylboronic acid 98% fw 183.93 | C ₇ H ₆ BFO ₄ | 120153-08-4 |
| PI-25090 | 3-Formyl-4-methoxyphenylboronic acid 98% fw 179.97 | C ₈ H ₉ BO ₄ | 121124-97-8 |
| PI-25091 | 3-Formyl-4-benzyloxyphenylboronic acid 98% fw 256.06 | C ₁₄ H ₁₃ BO ₄ | 121124-98-9 |
| PI-25092 | 4-n-Pentylphenylboronic acid 97% fw 192.06 | C ₁₁ H ₁₇ BO ₂ | 121219-12-3 |
| PI-25096 | 4-Aminocarbonylphenylboronic acid 98% fw 164.95 | C ₇ H ₈ BNO ₃ | 123088-59-5 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|----------------------|-------------|
| PI-25099 | 2-Methoxymethylphebylboronic acid 97% fw 165.98 | $C_8H_{11}BO_3$ | 126617-98-9 |
| PI-25101 | 2-Methoxy-5-formylphenylboronic acid 98% fw 179.97 | $C_8H_9BO_4$ | 127972-02-5 |
| PI-25103 | 1-(Phenylsulfonyl)-3-indoleboronic acid 97% fw 301.13 | $C_{14}H_{12}BNO_4S$ | 129271-98-3 |
| PI-25108 | (4-Bromo-2,5-dimethylphenyl)boronic acid 96% fw 228.88 | $C_8H_{10}BBrO_2$ | 130870-00-7 |
| PI-25117 | 2,4-Dimethoxyphenylboronic acid 97% fw 181.98 | $C_8H_{11}BO_4$ | 133730-34-4 |
| PI-25122 | 1-(tert-Butoxycarbonyl)pyrrole-2-boronic acid 98% fw 211.02 | $C_9H_{14}BNO_4$ | 135884-31-0 |
| PI-25123 | 5-Methylbenzothipene-2-boronic acid 97% fw 192.04 | $C_9H_9BO_2S$ | 136099-65-5 |
| PI-25125 | 2,6-Difluoropyridine-3-boronic acid 98% fw 158.9 | $C_5H_4BF_2NO_2$ | 136466-94-9 |
| PI-25126 | 4-Borono-2-chlorobenzoic acid 98% fw 200.38 | $C_7H_6BClO_4$ | 136496-72-5 |
| PI-25128 | Pyridine-2-boronic acid dimethyl ester 95% fw 150.97 | $C_7H_{10}BNO_2$ | 136805-54-4 |
| PI-25134 | 4-(Bromomethyl)benzeneboronic acid pinacol ester 95% fw 297 | $C_{13}H_{18}BBrO_2$ | 138500-85-3 |
| PI-25135 | (4-Phthalimidomethylphenyl)boronic acid, pinacol ester 98% fw 363.21 | $C_{21}H_{22}BNO_4$ | 138500-87-5 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|--|-------------|
| PI-25136 | 4-Aminomethylphenylboronic acid pinacol ester HCl 96% fw 269.58 | C ₁₃ H ₂₀ BNO ₂ HCl | 138500-88-6 |
| PI-25137 | 2-Cyanophenylboronic acid 98% fw 146.94 | C ₇ H ₆ BNO ₂ | 138642-62-3 |
| PI-25140 | 2-Formyl-4-methoxyphenylboronic acid 97% fw 179.97 | C ₈ H ₉ BO ₄ | 139962-95-1 |
| PI-25141 | (4-Benzyloxy-2-formyl)phenylboronic acid 97% fw 256.06 | C ₁₄ H ₁₃ BO ₄ | 139962-97-3 |
| PI-25142 | 2-(2-Methoxyphenyl)-1,3,2-dioxaborinane 97% fw 192.02 | C ₁₀ H ₁₃ BO ₃ | 141522-26-1 |
| PI-25147 | 3-Methoxymethylphenylboronic acid 97% fw 165.98 | C ₈ H ₁₁ BO ₃ | 142273-84-5 |
| PI-25151 | (4-Methyl-2-nitrophenyl)boronic acid 95% fw 180.95 | C ₇ H ₈ BNO ₄ | 143697-03-4 |
| PI-25153 | (3-Bromomethylphenyl)boronic acid neopentyl glycol ester 95% fw 282.97 | C ₁₂ H ₁₆ BBrO ₂ | 143805-78-1 |
| PI-25154 | 5-Indolylboronic acid 97% fw 160.97 | C ₈ H ₈ BNO ₂ | 144104-59-6 |
| PI-25157 | 3-Chloro-4-fluorobenzeneboronic acid 99% fw 174.37 | C ₆ H ₅ BClFO ₂ | 144432-58-9 |
| PI-25163 | 4-(Ethylthio)phenylboronic acid 98% fw 182.05 | C ₈ H ₁₁ BO ₂ S | 145349-76-4 |
| PI-25171 | 2,6-Dichloro-3-pyridineboronic acid 98% fw 191.81 | C ₅ H ₄ BCl ₂ NO ₂ | 148493-34-9 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|---|-------------|
| PI-25173 | 4-Methylpyridine-3-boronic acid 98% fw 136.94 | C ₆ H ₈ BNO ₂ | 148546-82-1 |
| PI-25176 | 4-(Methylsulfonyl)phenylboronic acid 98% fw 200.02 | C ₇ H ₉ BO ₄ S | 149104-88-1 |
| PI-25178 | 3-Propoxyphenylboronic acid 98% fw 180.01 | C ₉ H ₁₃ BO ₃ | 149557-18-6 |
| PI-25181 | 2-Vinylphenylboronic acid 98% fw 147.97 | C ₈ H ₉ BO ₂ | 15016-42-9 |
| PI-25182 | 3-Vinylphenylboronic acid 98% fw 147.97 | C ₈ H ₉ BO ₂ | 15016-43-0 |
| PI-25183 | 4-Chloro-3-nitrobenzeneboronic acid 96% fw 201.37 | C ₆ H ₅ BClNO ₄ | 151169-67-4 |
| PI-25184 | 2,3-Dichlorophenylboronic acid 98% fw 190.82 | C ₆ H ₅ BCl ₂ O ₂ | 151196-74-3 |
| PI-25190 | 4-Isobutylphenylboronic acid 98% fw 178.04 | C ₁₀ H ₁₅ BO ₂ | 153624-38-5 |
| PI-25191 | 4-Isopropoxyphenylboronic acid 97% fw 180.01 | C ₉ H ₁₃ BO ₃ | 153624-46-5 |
| PI-25193 | trans-2-(4-Chlorophenyl)vinylboronic acid 98% fw 182.41 | C ₈ H ₈ BClO ₂ | 154230-29-2 |
| PI-25197 | 3-Benzoyloxyphenylboronic acid 98% fw 228.05 | C ₁₃ H ₁₃ BO ₃ | 156682-54-1 |
| PI-25205 | 4-(2-Carboxyvinyl)phenylboronic acid 96% fw 191.98 | C ₉ H ₉ BO ₄ | 159896-15-8 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|--|-------------|
| PI-25207 | 4-(1,3,2-Dioxaborinan-2-yl)benzaldehyde 97% fw 190 | C ₁₀ H ₁₁ BO ₃ | 160068-88-2 |
| PI-25209 | 4-Chloro-2-fluorobenzeneboronic acid 98% fw 174.37 | C ₆ H ₅ BClFO ₂ | 160591-91-3 |
| PI-25211 | 4-Isopropylphebylboronic acid 98% fw 164.01 | C ₉ H ₁₃ BO ₂ | 16152-51-5 |
| PI-25213 | 4-Methyl-2-thienylboric acid 97% fw 141.98 | C ₅ H ₇ BO ₂ S | 162607-15-0 |
| PI-25214 | 2-Bromothiophene-5-boronic acid 97% fw 206.85 | C ₄ H ₄ BBrO ₂ S | 162607-17-2 |
| PI-25215 | 5-Chloro-2-thienylboronic acid 97% fw 162.4 | C ₄ H ₄ BClO ₂ S | 162607-18-3 |
| PI-25216 | 5-Methyl-2-thienylboric acid 98% fw 141.98 | C ₅ H ₇ BO ₂ S | 162607-20-7 |
| PI-25217 | 2-Methoxy-5-pyridineboronic acid 98% fw 152.94 | C ₆ H ₈ BNO ₃ | 163105-89-3 |
| PI-25218 | 2-Methoxy-3-pyridineboronic acid 98% fw 152.94 | C ₆ H ₈ BNO ₃ | 163105-90-6 |
| PI-25221 | N-Hexylboronic acid 97% fw 129.99 | C ₆ H ₁₅ BO ₂ | 16343-08-1 |
| PI-25223 | 5-Fluoro-2-methylbenzeneboronic acid 98% fw 153.95 | C ₇ H ₈ BFO ₂ | 163517-62-2 |
| PI-25227 | 2-Trimethylsilyl-1-ethylboronic acid pinacol ester 97% fw 228.21 | C ₁₁ H ₂₅ BO ₂ Si | 165904-20-1 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|---|-------------|
| PI-25228 | 4-(2-Carboxyethyl)phenylboronic acid 97% fw 193.99 | C ₉ H ₁₁ BO ₄ | 166316-48-9 |
| PI-25229 | (2-Bromomethylphenyl)boronic acid neopentyl glycol ester 95% fw 282.97 | C ₁₂ H ₁₆ BBrO ₂ | 166821-88-1 |
| PI-25232 | 3-Fluoro-4-methylbenzeneboronic acid 97% fw 153.95 | C ₇ H ₈ BFO ₂ | 168267-99-0 |
| PI-25236 | 2-Acetylamino-phenylboronic acid 96% fw 178.98 | C ₈ H ₁₀ BNO ₃ | 169760-16-1 |
| PI-25239 | 2-Fluoro-4-methylbenzeneboronic acid 97% fw 153.95 | C ₇ H ₈ BFO ₂ | 170981-26-7 |
| PI-25240 | 4-Methoxycarbonylphenylboronic acid pinacolate 97% fw 262.11 | C ₁₄ H ₁₉ BO ₄ | 171364-80-0 |
| PI-25241 | (4-Nitrophenyl)boronic acid pinacol ester 95% fw 249.07 | C ₁₂ H ₁₆ BNO ₄ | 171364-83-3 |
| PI-25243 | 3,5-Dimethylphenylboronic acid 98% fw 149.98 | C ₈ H ₁₁ BO ₂ | 172975-69-8 |
| PI-25244 | (3-Formyl-2-thienyl)boronic acid 97% fw 155.97 | C ₅ H ₅ BO ₃ S | 17303-83-2 |
| PI-25250 | 5-Methyl-3-pyridineboronic acid 97% fw 136.94 | C ₆ H ₈ BNO ₂ | 173999-18-3 |
| PI-25251 | 3-Propoxyphenylboronic acid 98% fw 87.91 | C ₃ H ₉ BO ₂ | 17445-45-8 |
| PI-25252 | 2-Fluoro-3-pyridineboronic acid 97% fw 140.91 | C ₅ H ₅ BFNO ₂ | 174669-73-9 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|---|-------------|
| PI-25257 | 3-Chloro-4-methylphenylboronic acid 98% fw 170.4 | C ₇ H ₈ BClO ₂ | 175883-63-3 |
| PI-25258 | 3-Trimethylsilylphenylboronic acid 98% fw 194.11 | C ₉ H ₁₅ BO ₂ Si | 177171-16-3 |
| PI-25259 | 3-Methyl-2-thienylboronic acid 98% fw 141.98 | C ₅ H ₇ BO ₂ S | 177735-09-0 |
| PI-25262 | 4-Trimethylsilylphenylboronic acid 95% fw 194.11 | C ₉ H ₁₅ BO ₂ Si | 17865-11-1 |
| PI-25263 | 3-(N,N-Dimethylamino)phenylboronic acid 97% fw 165 | C ₈ H ₁₂ BNO ₂ | 178752-79-9 |
| PI-25265 | 2-Methoxy-5-fluorophenylboronic acid 95% fw 169.95 | C ₇ H ₈ BFO ₃ | 179897-94-0 |
| PI-25266 | 2-Methoxy-4-fluorophenylboronic acid 98% fw 169.95 | C ₇ H ₈ BFO ₃ | 179899-07-1 |
| PI-25273 | 4-Hydroxyphenylboronic acid THP ether 97% fw 222.05 | C ₁₁ H ₁₅ BO ₄ | 182281-01-2 |
| PI-25274 | 2,3-Dimethylphenylboronic acid 98% fw 149.98 | C ₈ H ₁₁ BO ₂ | 183158-34-1 |
| PI-25282 | 4-(Methylthio)phenylboronic acid pinacolate 97% fw 250.16 | C ₁₃ H ₁₉ BO ₂ S | 190788-58-0 |
| PI-25283 | (2-Nitrophenyl)boronic acid pinacol ester 98% fw 249.07 | C ₁₂ H ₁₆ BNO ₄ | 190788-59-1 |
| PI-25284 | 2-(2-Methoxyphenyl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane 97% fw 234.1 | C ₁₃ H ₁₉ BO ₃ | 190788-60-4 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|---|-------------|
| PI-25286 | 3-Quinolineboronic acid 97% fw 172.98 | C ₉ H ₈ BNO ₂ | 191162-39-7 |
| PI-25289 | 3,5-Dimethoxyphenylboronic acid 96% fw 181.98 | C ₈ H ₁₁ BO ₄ | 192182-54-0 |
| PI-25290 | 4-Isoquinolineboronic acid 96% fw 172.98 | C ₉ H ₈ BNO ₂ | 192182-56-2 |
| PI-25301 | 2-Methoxy-5-(pyridine-4-yl)phenylboronic acid 96% fw 229.04 | C ₁₂ H ₁₂ BNO ₃ | 196861-33-3 |
| PI-25302 | 2-Pyridineboronic acid 97% fw 122.92 | C ₅ H ₆ BNO ₂ | 197958-29-5 |
| PI-25317 | 3-Acetylphenylboronic acid 98% fw 163.97 | C ₈ H ₉ BO ₃ | 204841-19-0 |
| PI-25325 | 5-Acetylthiophene-2-boronic acid 98% fw 169.99 | C ₆ H ₇ BO ₃ S | 206551-43-1 |
| PI-25327 | 4-Methoxy-2-methylphenylboronic acid 98% fw 165.98 | C ₈ H ₁₁ BO ₃ | 208399-66-0 |
| PI-25333 | 2,3,5-Trichlorophenylboronic acid 98% fw 225.26 | C ₆ H ₄ BCl ₃ O ₂ | 212779-19-6 |
| PI-25335 | 2-Ethoxyphenylboronic acid 98% fw 165.98 | C ₈ H ₁₁ BO ₃ | 213211-69-9 |
| PI-25336 | 1-(tert-Butoxycarbonyl)indole-2-boronic acid 98% fw 261.08 | C ₁₃ H ₁₆ BNO ₄ | 213318-44-6 |
| PI-25338 | (3-Bromomethylphenyl)boronic acid pinacol ester 95% fw 297 | C ₁₃ H ₁₈ BBrO ₂ | 214360-74-4 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|---|-------------|
| PI-25339 | trans-2-(4-Fluorophenyl)vinylboronic acid 98% fw 165.96 | C ₈ H ₈ BFO ₂ | 214907-24-1 |
| PI-25342 | 3-Isopropylphebylboronic acid 99% fw 164.01 | C ₉ H ₁₃ BO ₂ | 216019-28-2 |
| PI-25344 | 3-(2-Carboxyvinyl)phenylboronic acid 97% fw 191.98 | C ₉ H ₉ BO ₄ | 216144-91-1 |
| PI-25346 | Boc-D-2-cyanophenylalanine 98% fw 290.32 | C ₁₅ H ₁₈ N ₂ O ₄ | 216380-28-3 |
| PI-25347 | 5-Isopropyl-2-methoxyphenylboronic acid 98% fw 194.04 | C ₁₀ H ₁₅ BO ₃ | 216393-63-4 |
| PI-25348 | 3-[(E)-2-Nitrovinyl]phenylboronic acid 97% fw 192.96 | C ₈ H ₈ BNO ₄ | 216394-04-6 |
| PI-25349 | 3-Isopropoxyphebylboronic acid 97% fw 180.01 | C ₉ H ₁₃ BO ₃ | 216485-86-8 |
| PI-25352 | 3-(t-Butoxycarbonyl)phenylboronic acid 98% fw 222.05 | C ₁₁ H ₁₅ BO ₄ | 220210-56-0 |
| PI-25356 | 3-Cyanomethylphenylboronic acid 96% fw 160.97 | C ₈ H ₈ BNO ₂ | 220616-39-7 |
| PI-25357 | 2,6-Dimethoxy-3-pyridineboronic acid 95% fw 182.97 | C ₇ H ₁₀ BNO ₄ | 221006-70-8 |
| PI-25361 | 3-Amino-4-methylphenylboronic acid HCl 96% fw 187.43 | C ₇ H ₁₀ BNO ₂ HCl | 22237-12-3 |
| PI-25363 | 2-Bromo-5-pyridineboronic acid 96% fw 201.81 | C ₅ H ₅ BBrNO ₂ | 222463-14-7 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|--|-------------|
| PI-25364 | 6-Bromopyridine-3-boronic acid 95% fw 201.81 | C ₅ H ₅ BBrNO ₂ | 223463-14-7 |
| PI-25371 | 2,6-Dimethoxyphenylboronic acid 98% fw 181.98 | C ₈ H ₁₁ BO ₄ | 23112-96-1 |
| PI-25372 | 4-(1,3-Dioxolan-2-yl)-2,6-dimethoxyphenylboronic acid 96% fw 254.04 | C ₁₁ H ₁₅ BO ₆ | 232275-38-6 |
| PI-25375 | 3-(N,N-Diethylaminocarbonyl)phenylboronic acid 98% fw 221.06 | C ₁₁ H ₁₆ BNO ₃ | 237413-05-7 |
| PI-25377 | 4-Nitrobenzeneboronic acid 98% fw 166.93 | C ₆ H ₆ BNO ₄ | 24067-17-2 |
| PI-25384 | 3-Fluoro-4-formylbenzeneboronic acid 98% fw 167.93 | C ₇ H ₆ BFO ₃ | 248270-25-9 |
| PI-25394 | 3-(t-Butyldimethylsilyloxy)phenylboronic acid 97% fw 252.19 | C ₁₂ H ₂₁ BO ₃ Si | 261621-12-9 |
| PI-25402 | 2-Ethoxycarbonylphenylboronic acid pinacol ester 97% fw 276.14 | C ₁₅ H ₂₁ BO ₄ | 269409-99-6 |
| PI-25403 | 4-Hydroxy-3-methoxyphenylboronic acid pinacol ester 97% fw 250.1 | C ₁₃ H ₁₉ BO ₄ | 269410-22-2 |
| PI-25405 | 3-Formylfuran-2-boronic acid 97% fw 139.9 | C ₅ H ₅ BO ₄ | 27339-38-4 |
| PI-25408 | 3-Chloro-4-ethoxyphenylboronic acid 97% fw 200.43 | C ₈ H ₁₀ BClO ₃ | 279261-81-3 |
| PI-25412 | Octylboronic acid 97% fw 158.05 | C ₈ H ₁₉ BO ₂ | 28741-08-4 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|--|-------------|
| PI-25420 | 3,5-Dimethyl-4-methoxybenzeneboronic acid 97% fw 180.01 | C ₉ H ₁₃ BO ₃ | 301699-39-8 |
| PI-25424 | 5-Cyanothiophene-2-boronic acid 98% fw 152.97 | C ₅ H ₄ BNO ₂ S | 305832-67-1 |
| PI-25426 | 2-Acetylphenylboronic acid 96% fw 163.97 | C ₈ H ₉ BO ₃ | 308103-40-4 |
| PI-25431 | 4-Chloro-2-(trifluoromethyl)phenylboronic acid 98% fw 224.37 | C ₇ H ₅ BClF ₃ O ₂ | 313545-41-4 |
| PI-25432 | 2-Chloro-4-ethoxyphenylboronic acid 97% fw 200.43 | C ₈ H ₁₀ BClO ₃ | 313545-44-7 |
| PI-25438 | Pinacol ester pyrimidinyl-5-boronic acid 97% fw 206.05 | C ₁₀ H ₁₅ BN ₂ O ₂ | 321724-19-0 |
| PI-25441 | 2,4-Difluoro-5-nitrophenylboronic acid 99% fw 202.91 | C ₆ H ₄ BF ₂ NO ₄ | 325786-11-6 |
| PI-25453 | 2-(Methylsulfonyl)phenylboronic acid 98% fw 200.02 | C ₇ H ₉ BO ₄ S | 330804-03-0 |
| PI-25458 | 1-(Phenylsulfonyl)-2-indoleboronic acid 97% fw 301.13 | C ₁₄ H ₁₂ BNO ₄ S | 342404-46-0 |
| PI-25460 | Phenethylboronic acid 97% fw 149.98 | C ₈ H ₁₁ BO ₂ | 34420-17-2 |
| PI-25462 | 2-(2-Carbethoxyphenyl)-5,5-dimethyl-1,3,2-dioxaborinane 98% fw 262.11 | C ₁₄ H ₁₉ BO ₄ | 346656-34-6 |
| PI-25465 | 2-Fluoro-5-pyridineboronic acid 98% fw 140.91 | C ₅ H ₅ BFNO ₂ | 351019-18-6 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|---|-------------|
| PI-25466 | 3-Aminocarbonylphenylboronic acid 98% fw 164.95 | C ₇ H ₈ BNO ₃ | 351422-73-6 |
| PI-25468 | 2-Fluoro-3-methoxyphenylboronic acid 98% fw 169.95 | C ₇ H ₈ BFO ₃ | 352303-67-4 |
| PI-25469 | (3-Aminomethylphenyl)boronic acid HCl 98% fw 187.43 | C ₇ H ₁₀ BNO ₂ HCl | 352525-94-1 |
| PI-25470 | 6-Ethoxy-2-naphthaleneboronic acid 97% fw 216.04 | C ₁₂ H ₁₃ BO ₃ | 352525-98-5 |
| PI-25471 | 2,3,4-Trichlorophenylboronic acid 98% fw 225.26 | C ₆ H ₄ BCl ₃ O ₂ | 352530-21-3 |
| PI-25472 | 4-(Ethanesulfonyl)benzeneboronic acid 98% fw 214.05 | C ₈ H ₁₁ BO ₄ S | 352530-24-6 |
| PI-25473 | 2-Fluoro-5-formylphenylboronic acid 98% fw 167.93 | C ₇ H ₆ BFO ₃ | 352534-79-3 |
| PI-25474 | 5-Chloro-2-ethoxyphenylboronic acid 97% fw 200.43 | C ₈ H ₁₀ BClO ₃ | 352534-86-2 |
| PI-25475 | 3-Chloro-2-fluorophenylboronic acid 98% fw 174.37 | C ₆ H ₅ BClFO ₂ | 352535-82-1 |
| PI-25476 | 5-Chloro-2-fluorophenylboronic acid 97% fw 174.37 | C ₆ H ₅ BClFO ₂ | 352535-83-2 |
| PI-25477 | 2-Chloro-6-fluoro-5-methylphenylboronic acid 98% fw 188.39 | C ₇ H ₇ BClFO ₂ | 352535-86-5 |
| PI-25478 | 2-Fluoro-5-(trifluoromethyl)boronic acid 98% fw 207.92 | C ₇ H ₅ BF ₄ O ₂ | 352535-96-7 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|--|-------------|
| PI-25481 | 4-Methoxy-3-pyridineboronic acid 97% fw 152.94 | C ₆ H ₈ BNO ₃ | 355004-67-0 |
| PI-25482 | 5-Quinolineboronic acid 98% fw 172.98 | C ₉ H ₈ BNO ₂ | 355386-94-6 |
| PI-25483 | 3,5-Dimethyl-4-propoxyphenylboronic acid 98% fw 208.06 | C ₁₁ H ₁₇ BO ₃ | 357611-51-9 |
| PI-25485 | (2,6-Dimethyl-4-methoxyphenyl)boronic acid 95% fw 180.01 | C ₉ H ₁₃ BO ₃ | 361543-99-9 |
| PI-25486 | (2-Ethylthiophenyl)boronic acid 97% fw 182.05 | C ₈ H ₁₁ BO ₂ S | 362045-33-8 |
| PI-25489 | 3,4-Dimethoxyphenylboronic acid pinacol ester 96% fw 264.13 | C ₁₄ H ₂₁ BO ₄ | 365564-10-9 |
| PI-25496 | (2-Methoxy-5-pyridinyl)boronic acid hydrochloride 96% fw 189.4 | C ₆ H ₈ BNO ₃ HCl | 370864-57-6 |
| PI-25498 | 4-Methylpyridine-2-boronic acid 97% fw 136.94 | C ₆ H ₈ BNO ₂ | 372963-48-9 |
| PI-25499 | 5-Methylpyridine-2-boronic acid 97% fw 136.94 | C ₆ H ₈ BNO ₂ | 372963-49-0 |
| PI-25500 | 6-Methylpyridine-2-boronic acid 97% fw 136.94 | C ₆ H ₈ BNO ₂ | 372963-50-3 |
| PI-25501 | 6-Methoxypyridine-2-boronic acid 97% fw 152.94 | C ₆ H ₈ BNO ₃ | 372963-51-4 |
| PI-25503 | 3-(Methylsulfonyl)phenylboronic acid 98% fw 200.02 | C ₇ H ₉ BO ₄ S | 373384-18-0 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|--|-------------|
| PI-25504 | 5-Formyl-4-methylthiophene-2-boronic acid 1,3-propanediol cyclic ester 95% fw 210.06 | acid C ₉ H ₁₁ BO ₃ S | 374537-98-1 |
| PI-25505 | 4-Fluoro-3-formylbenzeneboronic acid 98% fw 167.93 | C ₇ H ₆ BFO ₃ | 374538-01-9 |
| PI-25506 | 2-Methoxycarbonylphenylboronic acid 97% fw 179.97 | C ₈ H ₉ BO ₄ | 374538-03-1 |
| PI-25507 | (3-Boc-amino-5-nitrophenyl)boronic acid pinacol ester 98% fw 364.2 | C ₁₇ H ₂₅ BN ₂ O ₆ | 374595-05-8 |
| PI-25512 | (3-Carboxy-5-nitrophenyl)boronic acid pinacol ester 97% fw 293.08 | C ₁₃ H ₁₆ BNO ₆ | 377780-80-8 |
| PI-25514 | (2-Formylphenyl)boronic acid pinacol ester 97% fw 232.08 | C ₁₃ H ₁₇ BO ₃ | 380151-85-9 |
| PI-25515 | 4-Isopropylthiophenylboronic acid 97% fw 196.07 | C ₉ H ₁₃ BO ₂ S | 380427-38-3 |
| PI-25516 | (3-Bromo-5-nitrophenyl)boronic acid 95% fw 245.82 | C ₆ H ₅ BBrNO ₄ | 380430-48-8 |
| PI-25517 | 3-Benzoyloxycarbonylphenylboronic acid 98% fw 256.06 | C ₁₄ H ₁₃ BO ₄ | 380430-52-4 |
| PI-25518 | (2-Ethoxycarbonylphenyl)boronic acid 97% fw 193.99 | C ₉ H ₁₁ BO ₄ | 380430-53-5 |
| PI-25519 | 2-Aminocarbonylphenylboronic acid 98% fw 164.95 | C ₇ H ₈ BNO ₃ | 380430-54-6 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|---------------------------------|-------------|
| PI-25520 | (2-Amino-4-methoxycarbonyl)boronic acid hydrochloride 95% fw 231.44 | $C_8H_{10}BNO_4 \text{ HCl}$ | 380430-55-7 |
| PI-25521 | 3-Amino-5-methoxycarbonyl)benzeneboronic acid hydrochloride 97% fw 231.44 | $C_8H_{10}BNO_4 \text{ HCl}$ | 380430-56-8 |
| PI-25522 | [4-(E-3-Methoxy-3-oxo-1-propen-1-yl)phenyl]boronic acid 97% fw 206 | $C_{10}H_{11}BO_4$ | 380430-58-0 |
| PI-25523 | [3-(E-3-Methoxy-3-oxo-1-propen-1-yl)phenyl]boronic acid 95% fw 206 | $C_{10}H_{11}BO_4$ | 380430-59-1 |
| PI-25524 | (3-Benzyloxycarbonyl-5-nitrophenyl)boronic acid 95% fw 301.06 | $C_{14}H_{12}BNO_6$ | 380430-62-6 |
| PI-25525 | 3-Aminomethylphenylboronic acid pinacol ester HCl 96% fw 269.58 | $C_{13}H_{20}BNO_2 \text{ HCl}$ | 380430-65-9 |
| PI-25526 | (2-Phtalimidomethylphenyl)boronic acid, pinacol ester 98% fw 363.21 | $C_{21}H_{22}BNO_4$ | 380430-66-0 |
| PI-25527 | (3-Boc-aminophenyl)boronic acid 97% fw 237.06 | $C_{11}H_{16}BNO_4$ | 380430-68-2 |
| PI-25528 | 2-Chloro-3-pyridineboronic acid 97% fw 157.36 | $C_5H_5BClNO_2$ | 381248-04-0 |
| PI-25530 | (3-Amino-5-nitrophenyl)boronic acid hydrochloride 98% fw 218.4 | $C_6H_7BN_2O_4 \text{ HCl}$ | 389621-79-8 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|---|-------------|
| PI-25531 | 4-(N,N-Diethylaminocarbonyl)phenylboronic acid 98% fw 221.06 | C ₁₁ H ₁₆ BNO ₃ | 389621-80-1 |
| PI-25532 | 4-(Pyrrolidine-1-carbonyl)phenylboronic acid 97% fw 219.04 | C ₁₁ H ₁₄ BNO ₃ | 389621-81-2 |
| PI-25533 | 4-(Morpholine-4-carbonyl)phenylboronic acid 98% fw 235.04 | C ₁₁ H ₁₄ BNO ₄ | 389621-84-5 |
| PI-25540 | 5-Methoxy-2-formylphenylboronic acid 97% fw 179.97 | C ₈ H ₉ BO ₄ | 40138-18-9 |
| PI-25543 | 2-Fluoro-4-pyridineboronic acid 98% fw 140.91 | C ₅ H ₅ BFNO ₂ | 401815-98-3 |
| PI-25549 | 2,3-Dimethoxybenzeneboronic acid 98% fw 181.98 | C ₈ H ₁₁ BO ₄ | 40972-86-9 |
| PI-25551 | Cyclopropylboronic acid 97% fw 85.9 | C ₃ H ₇ BO ₂ | 411235-57-9 |
| PI-25556 | 2-Fluoro-5-nitrophenylboronic acid pinacol ester 97% fw 267.06 | C ₁₂ H ₁₅ BFNO ₄ | 425378-68-3 |
| PI-25558 | E-1-Octenylboronic acid 98% fw 156.03 | C ₈ H ₁₇ BO ₂ | 42599-16-6 |
| PI-25567 | 3-Carboxyphenylboronic acid 98% fw 193.99 | C ₉ H ₁₁ BO ₄ | 4334-87-6 |
| PI-25568 | 4-Ethoxycarbonylphenylboronic acid 97% fw 193.99 | C ₉ H ₁₁ BO ₄ | 4334-88-7 |
| PI-25569 | 2-Formylthiophene-3-boronic acid 97% fw 155.97 | C ₅ H ₅ BO ₃ S | 4347-31-3 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|---|-------------|
| PI-25570 | 5-Formyl-2-thiopheneboronic acid 98% fw 155.97 | C ₅ H ₅ BO ₃ S | 4347-33-5 |
| PI-25576 | 6-Bromopyridine-2-boronic acid ? 95% fw 201.81 | C ₅ H ₅ BBrNO ₂ | 440680-34-2 |
| PI-25578 | Ethylboronic acid 98% fw 73.89 | C ₂ H ₇ BO ₂ | 4433-63-0 |
| PI-25579 | 2-Chloro-5-pyridineboronic acid 95% fw 157.36 | C ₅ H ₅ BClNO ₂ | 444120-91-6 |
| PI-25580 | Cyclohexylboronic acid 98% fw 127.98 | C ₆ H ₁₃ BO ₂ | 4441-56-9 |
| PI-25583 | 2-Bromopyridine-3-ylboronic acid 96% fw 201.81 | C ₅ H ₅ BBrNO ₂ | 452972-08-6 |
| PI-25584 | 3-Bromo-5-pyridineboronic acid 97% fw 201.81 | C ₅ H ₅ BBrNO ₂ | 452972-09-7 |
| PI-25585 | 3-Bromopyridine-5-boronic acid pinacol ester 95% fw 283.96 | C ₁₁ H ₁₅ BBrNO ₂ | 452972-13-3 |
| PI-25586 | 2-Chloro-4-pyridineboronic acid 98% fw 157.36 | C ₅ H ₅ BClNO ₂ | 458532-96-2 |
| PI-25587 | 3-Chloro-4-pyridineboronic acid 97% fw 157.36 | C ₅ H ₅ BClNO ₂ | 458532-98-4 |
| PI-25589 | 1,4-Benzenediboronic acid 96% fw 165.75 | C ₆ H ₈ B ₂ O ₄ | 4612-26-4 |
| PI-25591 | Biphenyl-2-ylboronic acid 97% fw 198.03 | C ₁₂ H ₁₁ BO ₂ | 4688-76-0 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|-------------|-------------|
| PI-25595 | 3-Methoxycarbonylphenylboronic acid pinacol ester 97% fw 262.11 | C14H19BO4 | 480425-35-2 |
| PI-25597 | [4-Fluoro-3-(hydroxymethyl)phenyl]boronic acid 98% fw 169.95 | C7H8BFO3 | 481681-02-1 |
| PI-25604 | 5-Cyano-3-pyridinyl boronic acid 96% fw 147.93 | C6H5BN2O2 | 497147-93-0 |
| PI-25609 | 2-Trimethylsilyl-1-ethylboronic acid diethanolamine ester 98% fw 215.17 | C9H22BNO2Si | 501014-43-3 |
| PI-25610 | 2-(9H-Carbazolyl)ethylboronic acid diethanolamine ester 98% fw 308.18 | C18H21BN2O2 | 501014-45-5 |
| PI-25611 | 2-(1,3-Dioxolan-2-on-4-yl)-1-ethylboronic acid pinacol ester 98% fw 242.08 | C11H19BO5 | 501014-47-7 |
| PI-25612 | 5-Bromo-2-fluoropyridine-3-boronic acid 98% fw 219.8 | C5H4BBrFNO2 | 501435-91-2 |
| PI-25613 | 2-Fluoro-4-(trifluoromethyl)phenylboronic acid 98% fw 207.92 | C7H5BF4O2 | 503309-11-3 |
| PI-25615 | 3-Fluoro-4-methoxycarbonylphenylboronic acid 97% fw 197.96 | C8H8BFO4 | 505083-04-5 |
| PI-25627 | Biphenyl-3-ylboronic acid 98% fw 198.03 | C12H11BO2 | 5122-95-2 |
| PI-25661 | 4-Bromophenylboronic acid 98% fw 200.83 | C6H6BBrO2 | 5467-74-3 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|------------|-------------|
| PI-25666 | 4-Methoxy-3-nitrophenylboronic acid pinacol ester 96% fw 279.1 | C13H18BNO5 | 554411-20-0 |
| PI-25668 | 3,4-Dimethylphenylboronic acid 98% fw 149.98 | C8H11BO2 | 55499-43-9 |
| PI-25669 | 2,4-Dimethylphenylboronic acid 97% fw 149.98 | C8H11BO2 | 55499-44-0 |
| PI-25671 | 1,4-Benzenediboronic acid bis(neophtyl glycol) ester 99% fw 301.98 | C16H24B2O4 | 5565-36-6 |
| PI-25674 | 2-Nitrobenzeneboronic acid 98% fw 166.93 | C6H6BNO4 | 5570-19-4 |
| PI-25687 | 1-Hydroxy-2,1-benzoxaborolane 98% fw 133.94 | C7H7BO2 | 5735-41-1 |
| PI-25691 | trans-Hept-1-enylboronic acid 98% fw 142 | C7H15BO2 | 57404-76-9 |
| PI-25692 | trans-Nonenylboronic acid 95% fw 170.06 | C9H19BO2 | 57404-77-0 |
| PI-25699 | (4-Ethoxycarbonyl-2-nitrophenyl)boronic acid 97% fw 238.99 | C9H10BNO6 | 5785-70-6 |
| PI-25712 | 4-(Hydroxymethyl)benzeneboronic acid 96% fw 151.96 | C7H9BO3 | 59016-93-2 |
| PI-25720 | 3-Methoxy-4-methoxycarbonylphenylboronic acid pinacol ester 97% fw 292.14 | C15H21BO5 | 603112-40-3 |
| PI-25721 | 3-Chloro-4-methoxycarbonyl)benzeneboronic acid 97% fw 214.41 | C8H8BClO4 | 603122-82-3 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|--|-------------|
| PI-25729 | 2-(9H-carbazolyl)ethylboronic acid pinacol ester 98% fw 321.22 | C ₂₀ H ₂₄ BNO ₂ | 608534-41-4 |
| PI-25730 | 2,2-Diphenyl-1-ethylboronic acid diethanolamine ester 98% fw 295.18 | C ₁₈ H ₂₂ BNO ₂ | 608534-43-6 |
| PI-25735 | 2-Ethoxy-5-pyridineboronic acid 98% fw 166.97 | C ₇ H ₁₀ BNO ₃ | 612845-44-0 |
| PI-25769 | 2-Methoxycarbonylphenylboronic acid pinacol ester 97% fw 262.11 | C ₁₄ H ₁₉ BO ₄ | 653589-95-8 |
| PI-25773 | Pyridyl-2-boronic acid,N-penyldiethanolamine ester 97% fw 268.12 | C ₁₅ H ₁₇ BN ₂ O ₂ | 662138-96-7 |
| PI-25783 | Dibenzothiophene-2-boronic acid 97% fw 228.07 | C ₁₂ H ₉ BO ₂ S | 668983-97-9 |
| PI-25789 | 4-Bromomethylphenylboronic acid 95% fw 214.85 | C ₇ H ₈ BBrO ₂ | 68162-47-0 |
| PI-25795 | 3-Nitrophenylboronic acid pinacol ester 97% fw 249.07 | C ₁₂ H ₁₆ BNO ₄ | 68716-48-3 |
| PI-25796 | Methyl 5-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-benzothi ophene-2-carboxylate 97% fw 318.2 | C ₁₆ H ₁₉ BO ₄ S | 690632-26-9 |
| PI-25808 | 4-Hydroxybenzeneboronic acid 98% fw 137.93 | C ₆ H ₇ BO ₃ | 71597-85-8 |
| PI-25814 | 3-(Pyrrolidine-1-carbonyl)phenylboronic acid 97% fw 219.04 | C ₁₁ H ₁₄ BNO ₃ | 723281-53-6 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|---|-------------|
| PI-25816 | Allylboronic acid piracol ester 98% fw 168.04 | C ₉ H ₁₇ BO ₂ | 72824-04-5 |
| PI-25818 | 2,4,6-Trichlorophenylboronic acid 96% fw 225.26 | C ₆ H ₄ BCl ₃ O ₂ | 73852-18-3 |
| PI-25823 | 4-Bromo-3-nitrophenylboronic acid 97% fw 245.82 | C ₆ H ₅ BBrNO ₄ | 74386-13-3 |
| PI-25826 | 4-Aminomethylphenylboronic acid HCl 98% fw 187.43 | C ₇ H ₁₀ BNO ₂ HCl | 75705-21-4 |
| PI-25827 | (4-Chloro-2-methoxyphenyl)boronic acid 98% fw 186.4 | C ₇ H ₈ BClO ₃ | 762287-57-0 |
| PI-25829 | 4-Borono-L-phenylalanine 97% fw 209.01 | C ₉ H ₁₂ BNO ₄ | 76410-58-7 |
| PI-25837 | 2-Benzyloxy-5-fluorophenylboronic acid 98% fw 246.04 | C ₁₃ H ₁₂ BFO ₃ | 779331-47-4 |
| PI-25839 | 2-Fluoro-6-methoxyphenylboronic acid 96% fw 169.95 | C ₇ H ₈ BFO ₃ | 78495-63-3 |
| PI-25841 | (5-Acetamido-2-nitro)benzeneboronic acid 96% fw 223.98 | C ₈ H ₉ BN ₂ O ₅ | 78887-36-2 |
| PI-25842 | (3-Acetamido-2-nitro)benzeneboronic acid 96% fw 223.98 | C ₈ H ₉ BN ₂ O ₅ | 78887-38-4 |
| PI-25843 | 3-Acetylamino phenylboronic acid 98% fw 178.98 | C ₈ H ₁₀ BNO ₃ | 78887-39-5 |
| PI-25845 | 4-Aminophenylboronic acid HCl 95% fw 173.41 | C ₆ H ₈ BNO ₂ HCl | 80460-73-7 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|----------------|-------------|
| PI-25846 | 4-Methyl-3-nitrobenzeneboronic acid 98% fw 180.95 | C7H8BNO4 | 80500-27-2 |
| PI-25851 | 4-Fluoro-2-methylphenylboronic acid pinacol ester 97% fw 236.09 | C13H18BFO2 | 815631-56-2 |
| PI-25859 | 4-Methoxy-3-nitrophenylboronic acid 97% fw 196.95 | C7H8BNO5 | 827614-67-5 |
| PI-25863 | 4-Amino-3-nitrophenylboronic acid pinacol ester 96% fw 264.09 | C12H17BN2O4 | 833486-94-5 |
| PI-25871 | 3-Chloro-4-(trifluoromethyl)phenylboronic acid 97% fw 224.37 | C7H5BCIF3O2 | 847756-88-1 |
| PI-25873 | 2-Benzyloxy-4-fluorophenylboronic acid 98% fw 246.04 | C13H12BFO3 | 848779-87-3 |
| PI-25874 | 3-Aminophenylboronic acid HCl 98% fw 173.41 | C6H8BNO2 HCl | 85006-23-1 |
| PI-25877 | 2-Amino-4-methoxycarbonyl)benzeneboronic acid pinacol ester hydrochloride 95% fw 313.58 | C14H20BNO4 HCl | 850567-49-6 |
| PI-25878 | (3-Amino-5-methoxycarbonyl)benzeneboronic acid pinacol ester hydrochloride 95% fw 313.58 | C14H20BNO4 HCl | 850567-50-9 |
| PI-25879 | 2-Ethoxycarbonylbenzeneboronic acid propanediol cyclic ester 95% fw 234.06 | C12H15BO4 | 850567-60-1 |
| PI-25880 | 4-(Isopropylsulfonylphenyl)boronic acid 97% fw 228.07 | C9H13BO4S | 850567-98-5 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|------------|-------------|
| PI-25881 | 4-[(E)-2-Nitrovinyl]phenylboronic acid 96% fw 192.96 | C8H8BNO4 | 850567-99-6 |
| PI-25882 | (2-Fluoro-5-methoxycarbonylphenyl)boronic acid 97% fw 197.96 | C8H8BFO4 | 850568-04-6 |
| PI-25883 | (5-Fluoro-2-methoxycarbonylphenyl)boronic acid 97% fw 197.96 | C8H8BFO4 | 850568-05-7 |
| PI-25884 | (3-Chloro-4-ethoxycarbonyl)benzeneboronic acid 98% fw 228.44 | C9H10BClO4 | 850568-11-5 |
| PI-25885 | (3-Ethoxycarbonyl-5-nitrophenyl)boronic acid 97% fw 238.99 | C9H10BNO6 | 850568-37-5 |
| PI-25886 | (4-Cyano-2-nitrophenyl)boronic acid 95% fw 191.94 | C7H5BN2O4 | 850568-46-6 |
| PI-25887 | 4-Benzyloxy-1-tert-butoxycarbonylindole-2-boronic 98% fw 367.2 | C20H22BNO5 | 850568-52-4 |
| PI-25888 | 4-(t-Butoxycarbonyl)phenylboronic acid 98% fw 222.05 | C11H15BO4 | 850568-54-6 |
| PI-25889 | (3-Nitro-4-isobutylphenyl)boronic acid 97% fw 223.03 | C10H14BNO4 | 850568-57-9 |
| PI-25890 | (4-Benzyloxycarbonyl-2-nitro)benzeneboronic acid 97% fw 301.06 | C14H12BNO6 | 850568-58-0 |
| PI-25891 | (4-Chloro-2-ethoxycarbonyl)benzeneboronic acid 95% fw 228.44 | C9H10BClO4 | 850568-61-5 |
| PI-25892 | (4-Hydroxy-3-nitrophenyl)boronic acid 95% fw 182.93 | C6H6BNO5 | 850568-75-1 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|--|-------------|
| PI-25893 | 6-(Boc-amino)-1-hydroxy-2,1-benzoxaborolane 98% fw 249.07 | C ₁₂ H ₁₆ BNO ₄ | 850568-79-5 |
| PI-25894 | 3-Chloro-4-(N-ethylcarbamoyl)benzeneboronic acid 98% fw 227.45 | C ₉ H ₁₁ BCINO ₃ | 850589-40-1 |
| PI-25896 | 5-Phenyl-3-pyridinyl boronic acid 97% fw 199.01 | C ₁₁ H ₁₀ BNO ₂ | 850991-38-7 |
| PI-25898 | 2-(N,N-Dimethylaminomethyl)phenylboronic acid 97% fw 179.02 | C ₉ H ₁₄ BNO ₂ | 85107-53-5 |
| PI-25899 | 4-Borono-3-nitrobenzoic acid 97% fw 210.94 | C ₇ H ₆ BNO ₆ | 85107-54-6 |
| PI-25900 | 4-Methoxycarbonyl-2-nitrophenylboronic acid 97% fw 224.96 | C ₈ H ₈ BNO ₆ | 85107-55-7 |
| PI-25903 | 2,5-Dimethylphenylboronic acid 96% fw 149.98 | C ₈ H ₁₁ BO ₂ | 85199-06-0 |
| PI-25904 | 2,5-Dibromopyridine-3-boronic acid 97% fw 280.71 | C ₅ H ₄ BBr ₂ NO ₂ | 852228-14-9 |
| PI-25907 | 2-Ethoxy-3-pyridineboronic acid 98% fw 166.97 | C ₇ H ₁₀ BNO ₃ | 854373-97-0 |
| PI-25916 | Cyclohexylboronic acid pinacol ester 97% fw 210.12 | C ₁₂ H ₂₃ BO ₂ | 87100-15-0 |
| PI-25917 | 3-Amino-5-nitrobenzeneboronic acid pinacol ester 98% fw 264.09 | C ₁₂ H ₁₇ BN ₂ O ₄ | 871329-51-0 |
| PI-25918 | Methyl 5-boronicotinate 95% fw 180.95 | C ₇ H ₈ BNO ₄ | 871329-53-2 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|--|-------------|
| PI-25919 | 4-Tert-butyl-3-nitrobenzeneboronic acid 98% fw 223.03 | C ₁₀ H ₁₄ BN ₂ O ₄ | 871329-54-3 |
| PI-25920 | 5-Chloro-2-(ethoxycarbonyl)phenylboronic acid 98% fw 228.44 | C ₉ H ₁₀ BClO ₄ | 871329-55-4 |
| PI-25921 | (3-Fluoro-5-methoxycarbonylphenyl)boronic acid 95% fw 197.96 | C ₈ H ₈ BFO ₄ | 871329-62-3 |
| PI-25922 | (4-Fluoro-2-methoxycarbonylphenyl)boronic acid 95% fw 197.96 | C ₈ H ₈ BFO ₄ | 871329-81-6 |
| PI-25923 | 3-(Methylcarbamoyl)-5-nitrophenylboronic acid 98% fw 223.98 | C ₈ H ₉ BN ₂ O ₅ | 871332-77-3 |
| PI-25924 | 3-(Ethylcarbamoyl)-5-nitrophenylboronic acid 98% fw 238.01 | C ₉ H ₁₁ BN ₂ O ₅ | 871332-79-5 |
| PI-25925 | N-Morpholinyl 3-borono-5-nitrobenzamide 98% fw 280.04 | C ₁₁ H ₁₃ BN ₂ O ₆ | 871332-80-8 |
| PI-25926 | 3-(Diethylcarbamoyl)-5-nitrophenylboronic acid 98% fw 266.06 | C ₁₁ H ₁₅ BN ₂ O ₅ | 871332-82-0 |
| PI-25927 | 3-[Methoxy(methyl)carbamoyl]-5-nitrophenylboronic acid 98% fw 254 | C ₉ H ₁₁ BN ₂ O ₆ | 871332-84-2 |
| PI-25928 | 3-(Cyclohexylcarbamoyl)-5-nitrophenylboronic acid 97% fw 292.1 | C ₁₃ H ₁₇ BN ₂ O ₅ | 871332-85-3 |
| PI-25929 | 3-(Cyclopropylcarbamoyl)-5-nitrophenylboronic acid 98% fw 250.02 | C ₁₀ H ₁₁ BN ₂ O ₅ | 871332-86-4 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|-------------|-------------|
| PI-25930 | 3-(T-Butylcarbamoyl)-5-nitrophenylboronic acid 98% fw 266.06 | C11H15BN2O5 | 871332-87-5 |
| PI-25931 | 3-(Propylcarbamoyl)-5-nitrophenylboronic acid 98% fw 252.03 | C10H13BN2O5 | 871332-88-6 |
| PI-25932 | 3-(N-Butylbarbamoyl)-5-nitrophenylboronic acid 98% fw 266.06 | C11H15BN2O5 | 871332-89-7 |
| PI-25933 | 3-(Benzylcarbamoyl)-5-nitrophenylboronic acid 98% fw 300.07 | C14H13BN2O5 | 871332-90-0 |
| PI-25934 | 5-Bromo-2-ethoxypyridin-3-ylboronic acid 97% fw 245.87 | C7H9BBrNO3 | 871332-98-8 |
| PI-25935 | O-(Hydroxymethyl)phenylboronic acid 98% fw 151.96 | C7H9BO3 | 87199-14-2 |
| PI-25936 | 3-Hydroxyphenylboronic acid 97% fw 137.93 | C6H7BO3 | 87199-18-6 |
| PI-25937 | 5-Chloro-3-pyridineboronic acid 97% fw 157.36 | C5H5BClNO2 | 872041-85-5 |
| PI-25938 | 5-Fluoropyridine-3-boronic acid 96% fw 140.91 | C5H5BFNO2 | 872041-86-6 |
| PI-25939 | 3-Carboxy-4-fluorophenylboronic acid 98% fw 183.93 | C7H6BFO4 | 872460-12-3 |
| PI-25940 | (4-Fluoro-3-methoxycarbonylphenyl)boronic acid 98% fw 197.96 | C8H8BFO4 | 874219-35-9 |
| PI-25941 | (3-Ethoxycarbonyl-4-fluorophenyl)boronic acid 98% fw 211.98 | C9H10BFO4 | 874219-36-0 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|-------------|-------------|
| PI-25942 | [3-(Dimethylcarbamoyl)-5-nitrophenyl]boronic acid 98% fw 238.01 | C9H11BN2O5 | 874219-44-0 |
| PI-25943 | 4-Chloro-3-(methoxycarbonyl)phenylboronic acid 98% fw 214.41 | C8H8BClO4 | 874219-45-1 |
| PI-25944 | [3-(Benzyloxycarbonylamino)-5-nitrophenyl]boronic acid 98% fw 316.07 | C14H13BN2O6 | 874219-56-4 |
| PI-25945 | 3-Borono-4-fluorobenzoic acid ethyl ester 98% fw 211.98 | C9H10BFO4 | 874219-60-0 |
| PI-25946 | [5-(Cyclohexycarbamoyl)-2-fluorophenyl]boronic acid 98% fw 265.09 | C13H17BFNO3 | 874289-44-8 |
| PI-25947 | [5-(Dimethylcarbamoyl)-2-fluorophenyl]boronic acid 98% fw 211 | C9H11BFNO3 | 874289-46-0 |
| PI-25948 | [5-(Butylcarbamoyl)-2-fluorophenyl]boronic acid 98% fw 239.05 | C11H15BFNO3 | 874289-50-6 |
| PI-25959 | 4-Amino-3-nitrophenylboronic acid 98% fw 181.94 | C6H7BN2O4 | 89466-07-9 |
| PI-25960 | 3-Bromophenylboronic acid 98% fw 200.83 | C6H6BBrO2 | 89598-96-9 |
| PI-25961 | 5-Bromo-2-methoxyphenylboronic acid 97% fw 230.85 | C7H8BBrO3 | 89694-45-1 |
| PI-25962 | 5-Chloro-2-methoxyphenylboronic acid 98% fw 186.4 | C7H8BClO3 | 89694-48-4 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|---|---------------|
| PI-25963 | 2-Isopropylphebylboronic acid 97% fw 164.01 | C ₉ H ₁₃ BO ₂ | 89787-12-2 |
| PI-25964 | 3-Ethoxyphenylboronic acid 98% fw 165.98 | C ₈ H ₁₁ BO ₃ | 90555-66-1 |
| PI-25965 | 4-Borono-DL-phenylalanine 97% fw 209.01 | C ₉ H ₁₂ BNO ₄ | 90580-64-6 |
| PI-25967 | 2-Butoxyphenylboronic acid 98% fw 194.04 | C ₁₀ H ₁₅ BO ₃ | 91129-69-0 |
| PI-25979 | (2-Formyl-4,5-methylenedioxy)benzeneboronic acid 99% fw 193.95 | C ₈ H ₇ BO ₅ | 94838-88-7 |
| PI-25980 | 1,3-Benzodioxol-5-ylboronic acid 98% fw 165.94 | C ₇ H ₇ BO ₄ | 94839-07-3 |
| PI-25982 | (2-Formylphenyl)boronic acid neopentyl glycol ester 95% fw 218.06 | C ₁₂ H ₁₅ BO ₃ | 95752-86-6 |
| PI-25991 | 1-Benzothien-2-ylboronic acid 98% fw 178.02 | C ₈ H ₇ BO ₂ S | 98437-23-1 |
| PI-25993 | 4-Methoxycarbonylphenylboronic acid 97% fw 179.97 | C ₈ H ₉ BO ₄ | 99768-12-4 |
| PI-25994 | 3-Methoxycarbonylphenylboronic acid 98% fw 179.97 | C ₈ H ₉ BO ₄ | 99769-19-4 |
| PI-26000 | 3-t-Butoxymethylphenylboronic acid 98% fw 208.06 | C ₁₁ H ₁₇ BO ₃ | not available |



| Cat No. | Description | Structure | CAS No. |
|----------|--|-------------|-------------|
| PI-26097 | 4-(5,5-Dimethyl-1,3,2-dioxaborinan-2-yl)benzaldehyde 97% fw 218.06 | C12H15BO3 | 128376-65-8 |
| PI-26714 | 2-Methoxy-3-(4,4,5,5-Tetramethyl-[1,3,2]Dioxaborolan-2-YL)-Pyridine 98% fw 235.09 | C12H18BNO3 | 532391-31-4 |
| PI-27127 | 2-Methoxy-5-methylphenylboronic acid 97% fw 165.98 | C8H11BO3 | 127972-00-3 |
| PI-27223 | 2-Fluoro-4-methoxybenzeneboronic acid 98% fw 169.95 | C7H8BFO3 | 162101-31-7 |
| PI-27501 | Bis(Diethyl-L-tartrate glycolato)diboron 97% fw 429.98 | C16H24B2O12 | 343321-58-4 |
| PI-27959 | 3-Fluoro-4-(pyrrolidine-1-carbonyl)phenylboronic acid 98% fw 237.04 | C11H13BFNO3 | 874289-09-5 |
| PI-27960 | 2-Fluoro-5-(pyrrolidine-1-carbonyl)phenylboronic acid 98% fw 237.04 | C11H13BFNO3 | 874289-42-6 |
| PI-28003 | 2-Fluorophenylboronic acid 98% fw 139.92 | C6H6BFO2 | 1993-3-9 |
| PI-28087 | 2,3-Difluorophenylboronic acid 98% fw 157.91 | C6H5BF2O2 | 121219-16-7 |
| PI-28117 | 4-Propylphenylboronic acid 98% fw 164.01 | C9H13BO2 | 134150-01-9 |
| PI-28135 | 4-Chloro-3-fluorophenylboronic acid 98% fw 174.37 | C6H5BClFO2 | 137504-86-0 |



| Cat No. | Description | Structure | CAS No. |
|----------|--|-----------|-------------|
| PI-28144 | 3-(Trifluoromethyl)phenylboronic acid 98% fw 189.93 | C7H6BF3O2 | 1423-26-3 |
| PI-28150 | 2,4-Difluorophenylboronic acid 98% fw 157.91 | C6H5BF2O2 | 144025-03-6 |
| PI-28192 | 2,6-Difluorophenylboronic acid 98% fw 157.91 | C6H5BF2O2 | 162101-25-9 |
| PI-28247 | 2,5-Difluorophenylboronic acid 98% fw 157.91 | C6H5BF2O2 | 193353-34-3 |
| PI-28289 | 2,3,4-Trifluorophenylboronic acid 98% fw 175.9 | C6H4BF3O2 | 226396-32-3 |
| PI-28312 | 2,3,6-Trifluorophenylboronic acid 98% fw 175.9 | C6H4BF3O2 | 247564-71-2 |
| PI-28313 | 2,4,5-Trifluorophenylboronic acid 98% fw 175.9 | C6H4BF3O2 | 247564-72-3 |
| PI-28314 | 2,3,5-Trifluorophenylboronic acid 98% fw 175.9 | C6H4BF3O2 | 247564-73-4 |
| PI-28376 | 2-Naphthalenylboronic acid 98% fw 171.99 | C10H9BO2 | 32316-92-0 |
| PI-28689 | Thiophene-3-boronic acid 98% fw 127.96 | C4H5BO2S | 6165-69-1 |
| PI-28704 | 4-Ethylphenylboronic acid 98% fw 149.98 | C8H11BO2 | 63139-21-9 |
| PI-28777 | 3-Chloro-4-fluorophenylacetic acid 98% fw 188.58 | C8H6ClFO2 | 705-79-3 |



| Cat No. | Description | Structure | CAS No. |
|----------|---|-----------------|-------------|
| PI-29028 | 3-Bromothiophene-4-Boronic Acid 98% fw 206.85 | C4H4BBrO2S | 101084-76-8 |
| PI-29116 | 2,2'-Bithiophene-5-boronic acid 96% fw 210.08 | C8H7BO2S2 | 132898-95-4 |
| PI-29174 | 3-Bromothiophene-2-boronic acid 98% fw 206.85 | C4H4BBrO2S | 162607-26-3 |
| PI-29252 | 5-Formylthiophen-3-Boronic Acid 98% fw 155.97 | C5H5BO3S | 175592-59-3 |
| PI-29355 | 4-Ethoxybenzeneboronic acid 98% fw 165.98 | C8H11BO3 | 22237-13-4 |
| PI-29596 | 3-Formyl-4-Thiopheneboronic Acid 98% fw 155.97 | C5H5BO3S | 4347-32-4 |
| PI-29965 | (3-Amino-5-nitrophenyl)boronic acid 97% fw 181.94 | C6H7BN2O4 | 89466-05-7 |
| PI-30086 | 3,5-Dibromobenzeneboronic acid 98% fw 279.72 | C6H5BBr2O2 | 117695-55-3 |
| PI-30176 | 2,3,4,5,6-Pentafluorobenzeneboronic acid 98% fw 211.88 | C6H2BF5O2 | 1582-24-7 |
| PI-30837 | 3-Aminobenzeneboronic acid hemisulfate 98% fw 371.97 | 2C6H8BNO2 H2SO4 | 66472-86-4 |
| PI-30843 | 3,5-Dichlorobenzeneboronic acid 98% fw 190.82 | C6H5BCl2O2 | 67492-50-6 |
| PI-31069 | 3-Fluoro-4-methoxyphenylboronic acid 98% fw 169.95 | C7H8BFO3 | 149507-26-6 |



| Cat No. | Description | Structure | CAS No. |
|-----------------|---|--|----------------|
| PI-31092 | 4-Fluorophenylboronic acid 98% fw 139.92 | C ₆ H ₆ BFO ₂ | 1765-93-1 |
